



HOT AIR DRIER



Extended
product lifecycle



Minimised
carbon footprint



Climate-neutral
products



Minimum
uptake



Waste
Prevention



Excellent Dyeing
Result

Hot Air Drier is specially designed for drying almost all types of natural and man made Yarns like Polyester, Cotton, Viscose, Acrylic, Silk, Wool in various form like Loose Fiber, Hanks & Cones .



DRYING PLANT



FOR CONE



FOR LOOSE MATERIAL

SUITABLE MATERIALS



Polyester Wool Nylon Acrylic Human Hair Viscose Cotton Silk

*Only If Blended With Synthetic Yarn

SUITABLE FORMS



Cone Zipper Tape Hanks Fiber Tops Muff Narrow Fabrics


MODELS

JHAD	25	50	100	200	300	400	500	700	1000
 Batch (Kg)	25	50	100	200	300	400	500	700	1000
 Electric Load (Kw)	1	1.5	1	2	2	3	4	6	7.5

- We reserve our rights to make any changes without prior notice
- Batch capacity of the machine may vary according to the material i.e. Polyester, Cotton, Viscose, Silk, Tape, etc.
- Electric load mentioned above is of circulation blowers and electric dehumidifier
- Scope of delivery and technical specification of the product supplied shall be in accordance with the contract



Hot Air Drier is specially designed for drying almost all types of natural and man made Yarns like Polyester, Cotton, Viscose, Acrylic, Silk, Wool in various form like Loose Fiber, Hanks & Cones .



FOR CONE / LOOSE MATERIAL

SUITABLE MATERIALS



Polyester Wool Nylon Acrylic Human Hair Viscose Cotton Silk

*Only If Blended With Synthetic Yarn

SUITABLE FORMS



Cone Zipper Tape Hanks Fiber Tops Muff Narrow Fabrics

MODELS

JHAD	25	50	100	200	300	400	500	700	1000
 Batch (Kg)	25	50	100	200	300	400	500	700	1000
 Electric Load (Kw)	1	1.5	1	2	2	3	4	6	7.5

- We reserve our rights to make any changes without prior notice
- Batch capacity of the machine may vary according to the material i.e. Polyester, Cotton, Viscose, Silk, Tape, etc.
- Electric load mentioned above is of circulation blowers and electric dehumidifier
- Scope of delivery and technical specification of the product supplied shall be in accordance with the contract





Trolley for Cones



Trolley for Hanks



Trolley for Trays

Construction : Exterior is made of fully insulated mild steel square pipe and covered with mild steel sheet with powder coated paint finish. Interior, the insulation is covered with galvanized sheet duly coated with high temperature resistant coating.

Insulation : All sides of drier cabinet are fully insulated with 50 mm thick glass wool for preventing Heat Loss/ Heat leakage.

Doors : Front open able hinged doors, insulated with 50 mm thick glass wool & door are lined with silicon rubber gasket for preventing any heat loss.

Locking : In case of single door cabinet, spring and roller type latch is provided & in case of double door cabinet, container type rod locking assembly is provided for effective secure seal.

Air Circulation : Forced air circulation is done by specially designed re-circulation blowers fitted inside the drier for better uniformity of temperature inside the chamber.

Ventilation : Very efficient electric De-humidifier operated with digital timer is provided along with adjustable manual air damper.

Heating : Various heating methods are offered as per the requirement such as electric heating, heating by thermic fluid or steam with fin type heat exchanger.

Carrier Trolley : For loose hanks carrier trolley is provided with aluminum hanger for hanging the hanks. Removable trays are provided for drying loose fiber and trims. Creel type trolley is provided for drying cones and bobbins. Drier is designed with foldable ramp for loading/unloading the carrier trolley.

Automatic Power Control Panel : Equipped with JOGSON Temperature Programmer TPR-14 which controls up to 8 programs with battery backup, blower fan On/Off, rate of temperature rise, hold time, operator call and memory retention in case of power failure.

Technical Data //


- Maximum design temperature 140°C
- Heating gradient 25°C - 130°C approx at 5°C /min. (Dry saturated steam pressure at 7 bar), approx at 3°C/min with electric heaters



Control Panel



Tray Model



Perforated Tray



Dehumidifier

OUR PRODUCT RANGE



MULTIPOT DYEING
MACHINE



VERTICAL TUBULAR DYEING
MACHINE



VERTICAL DYEING
MACHINE



HORIZONTAL TUBULAR DYEING
MACHINE



HORIZONTAL VESSEL DYEING
MACHINE



MULTICOLOR SPACE DYEING
MACHINE



GLYCERIN BATH BEAKER DYEING
MACHINE



YARN CONDITIONING
MACHINE



HYDRO EXTRACTOR



HOT AIR DRIER



INDUSTRIAL WASHING MACHINE



TUMBLER DRIER



JOGINDRA INDUSTRIES PVT. LTD.

AN ISO 9001:2015 CERTIFIED COMPANY


Regd. Office :

R-5/69, Rama Road, Najafgarh
Road Industrial Area,
New Delhi-110015, India

Works :

A-590 C1, Phase-1, RIICO
Industrial Area, Bhiwadi-301019,
Rajasthan, India

+91-9999127227 info@jogson.com www.jogson.com



Scan This QR Code For
More Details

@yarn dyeing machines